



Intega Datahub

Table- and fielddescription

11. 2025

 **VISMA** | Enterprise

Table of content

Table of content	2
How to use the table- and fielddescription	3
Absence	3
AbsenceGroup	5
AbsenceType	6
CalculatedSalary	7
CompensationAndBenefit	9
Course	11
CourseSupplier	12
Customer	13
Employee	14
EmployeeQualification	17
Employer	18
Employment	19
Organization	23
OrganizationalUnit	24
Payroll	25
PayType	26
CourseCalendar	27
EmploymentClassification	28
PaymentConditionClassification	29
Contenttype	30
Classification	31
TaxCard	32

ProcessedAbsence	33
ProcessedAbsenceGroup	35
PostedAccounting	36
PhoneNumber	39
SalaryComment	40
VismaLoenWorkCalendar	41

How to use the table- and fielddescription

The tables displayed via Intega Datahub receive data from Intega Løn / Intega HR. In the following you can see a description of which fields the different tables are made up of.

Absence

Absence holds information about absence that is not processed in a payroll. Where nothing else is mentioned data comes from the Intega Løn table FRAVAERSPOSTERING. The table also contains Intega HR only absence. In these cases the data comes from the tables VismaLoenCoreAbsence og VismaLoenCoreAbsenceRegistration.

If an absence is registered for a period of days the Absence table will contain data about the absence on separate days, while the table AbsenceGroup will hold information that includes the entire absence period

Field name in Intega Databus	Description	Fieldname source system	Datasource
AbsenceRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn / Intega HR
EmployerID	Employer Number	ARBEJDSGIVERNR	Intega Løn / Intega HR
EmployeeID	Employeenumber	MEDARBEJDERNR	Intega Løn / Intega HR
EmploymentID	Employment	Ansforhnr	Intega Løn / Intega HR
StartDate	Start date	Start date/StartDate	Intega Løn / Intega HR
EndDate	End date	END DATE/EndDate	Intega Løn / Intega HR
AbsenceCode	Absence code that defines the type of absence	FRAVAERSKODE/AbsenceTypeCode	Intega Løn / Intega HR
AbsenceName	Description of absence	NAVN/Name	Intega Løn / Intega HR
Rate	The rate for paying out the absence	Sats/0	Intega Løn / Intega HR

Duration	Length of the absence periode, either in days or hours depending of the absence type	VARIGHED/Duration	Intega Løn / Intega HR
DurationType	Hours or days (1=hours, 0=days)	ENHED(KATTILLFRAVKODE)/ DurationType	Intega Løn / Intega HR
ApprovalItemStatus	Status on use of absence	GODKENDELSESSTATUS/ ApprovalStatus	Intega Løn / Intega HR
ProjectID	Project no. That can be attached to the absence and variable wage types	ProjectID	Intega HR
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
GroupID	ID that refer to a potential occurrence in the table AbsenceGroup	GRUPPEID	Intega Løn / Intega HR
StartTime	Start time for the absence	STARTTID	Intega Løn / Intega HR
EndTime	End time for the absence	SLUTTID	Intega Løn / Intega HR
CreateTime	Timestamp for creating the absence registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the absence registration	TIDSSTEMPEL	Intega Løn

AbsenceGroup

AbsenceGroup holds information about absence that is not yet processed in a payroll. Data comes from the Intega Løn table FRAVAERSPOSTERING.

If an absence is registered for a period of days the Absence table will contain data about the absence on separate days, while the table AbsenceGroup will hold information that includes the entire absence period.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
AbsenceGroupRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
EmployerID	Employer Number	ARBEJDSDGIVERNR	Intega Løn
EmployeeID	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment	Ansforhnr	Intega Løn
GroupID	ID that refer to a potential occurrence in the table Absence	GRUPPEID	Intega Løn
StartDate	Start date	Start date/StartDate	Intega Løn
EndDate	End date	END DATE/EndDate	Intega Løn
Comment	Comment	KOMMENTAR	Intega Løn
DisapprovalComment	Comment if absence is rejected	AFVISNINGSKOMMENTAR	Intega Løn
ProjectID	ProjectID	PROJEKTID	Intega Løn
CalendarCode	Calendar code	KALENDERKODE	Intega Løn
CreateTime	Timestamp for creating the absence registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the absence registration	TIDSSSTEMPEL	Intega Løn

AbsenceType

AbsenceType holds information about absence types. This is a table that contains register data. Where nothing else is mentioned the data comes from the Intega Løn table KONSTFRAVAERSKODE

Field name in Intega Datahub	Description	Fieldname source system	Datasource
AbsenceTypeID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
StartDate	Start date	Start date/2001-01-01	Intega Løn
EndDate	End date	END DATE/9999-12-31	Intega Løn
FromDate	From date	FRADATO/2001-01-01	Intega Løn
ToDate	To date	TILDATO/9999-12-31	Intega Løn
AbsenceGroup	Absence group	Fravaergrp	Intega Løn
Name	Name of absence type	NAVN/Text	Intega Løn
ILType	DA statistic code (IL-type)	IL_TYPE	Intega Løn
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
AbsenceTypeCode	Absence code that defines the type of absence	FRAVAERSKODE/Code	Intega Løn
CreateTime	Timestamp for creating the absence registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the absence registration	TIDSSTEMPEL	Intega Løn

CalculatedSalary

CalculatedSalary holds the results from the payroll. Where nothing else is mentioned data comes from the Intega Løn table LOENTRANS.

This is the individual lines from the payslip. There can also be summation and intermediate results that are not shown on the payslip. This table is dedicated to salary calculation and the time dimension is therefore a bit more complex than it immediately will appear. Especially about the payments that are recalculated it can be difficult to define when the registrations and the payments have been done. Therefore it is recommended that data from the table PostedAccounting is used as the timedimension in this table always 'follow the money'.

Only registrations with TransactionType = 'GL' and 'TIDL' are transferred.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
CalculatedSalaryRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
EmployerID	Employer Number	ARBEJDSEVERNR	Intega Løn
EmployeeID	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment Nummer	ANSFORHNR	Intega Løn
CalculatedSalaryNumber	Salary transaction number	LOENTRANSNR	Intega Løn
PayPeriodStart	Start date for the payroll period	LOENPERIODESTART	Intega Løn
PayPeriodEnd	End date for the payroll period	LOENPERIODESLUT	Intega Løn
PayTypeCode	Wage type number	LOENARTNR	Intega Løn
CalculatedSalaryName	Description of the wage type	NAVN	Intega Løn
Amount	Result	RESULTAT	Intega Løn
PayrollRunNumber	Payroll run number	KOERSELSNR	Intega Løn
PayrollSelectionNumber	Selection number	SELEKTIONSNR	Intega Løn
OriginalPayrollRunNumber	Original payroll run number	OPRKOERSELSNR	Intega Løn

OriginalPayrollSelectionNumber	Original selection no.	OPRSELEKTIONSNR	Intega Løn
MadeByAdjustment	Made by recalculation	DANNETAFEFT	Intega Løn
RegistrationNumber	Registration number	REGNR	Intega Løn
AccountNumber	Account number	KONTONR	Intega Løn
Value1	Value	VAERDI1	Intega Løn
Value2	Value	VAERDI2	Intega Løn
Value3	Value	VAERDI3	Intega Løn
Value4	Value	VAERDI4	Intega Løn
Value5	Value	VAERDI5	Intega Løn
Value6	Value	VAERDI6	Intega Løn
TransactionType	Type of transaction	TRANSTYPE	Intega Løn

CompensationAndBenefit

CompensationAndBenefit holds information about wage types that will be a part of a future payroll. It can be fixed wage types that will be a part of several payrolls or variable wage types that will only be part of a single payroll. When nothing else is mentioned the data will come from the Intega Løn tables ANSLOENOPLYSNING and ANSLOENOPLPARAM.

Fields marked with '*' is found in the same field in Intega Løn but is codified with the meaning. In the Intega Datamodel, that is the base of the DataHub datamodel, the same structure and terminology as in the Decentral Registration is used, and the references in the field Description refer to the documentation from this.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
CompensationAndBenefitRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
EmployerID	Employer Number	ARBEJDSGIVERNR	Intega Løn
EmployeeID	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment	ANSFORHNR	Intega Løn
StartDate	Start date	Start date/StartDate	Intega Løn
EndDate	End date	END DATE/StartDate	Intega Løn
PayTypeCode	Wage type number	LOENARTNR/Code	Intega Løn
CompensationAndBenefitName	Text that describes the wage type	NAVN/Remark	Intega Løn
PayTypeType	Type of wage type	ANSLOENOPTYPE/"VARIABLE"	Intega Løn
Frequency	Frequence	FREKVENS/"NULL"	Intega Løn
UseAfter	To be paid out after a specific date	ANVEND_EFTER/"NULL"	Intega Løn
Units*	Units, number of units to be paid out	Enheder(Vaerdi)/Units	Intega Løn
Rate*	The rate to calculate the payout	Sats(Vaerdi)/Rate	Intega Løn

Amount*	The amount to pay out	Beløb(Vaerdi)/Amount	Intega Løn
PensionOwnPercent*	percent	Egen Pct.(Vaerdi)/Percentage	Intega Løn
DoNotReduce*	If the amount on the wage type is to be reduced if the employee is on paid leave of absence, hired or terminated during the payroll period	Reducer ej(Vaerdi)	Intega Løn
PensionCompanyAmount*	Pension company amount	Pens. Firmabeløb/ Vaerdi	Intega Løn
PensionCompanyPercent*	Pension company percent	Pens. firma %/ Vaerdi	Intega Løn
PensionBasis*	Basis to calculate the pension	Pensionsgrundlag/ Vaerdi	Intega Løn
Balance*	Balance	Saldo/ Vaerdi	Intega Løn
Year*	Year	Årstal/ Vaerdi	Intega Løn
InputValue	Input Value	INDTAST	Intega Løn
RegistrationNumber	Registration number	REGNR	Intega Løn
AccountNumber	Account number	KONTONR	Intega Løn
SettlingType	Transaction code for pension company	AFRMETODE	Intega Løn
ApproveltemStatus	Status for approval	ApproveltemStatus/'3'	Intega HR
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
Historik	Timestamp for creating the registration	HISTORIK	Intega Løn
Used	Used	ANVENDT	Intega Løn
SettlementMethod	Method of settlement	AFRMETODE	Intega Løn
SettlementType	Number for settlement type	AFREGNINGSTYPENR	Intega Løn
DisapprovalComment	Comment for rejection	AFVISNINGSKOMMENTAR	Intega Løn
ChangeReasonCode	Code for change reason	AENDRINGSAAARSAGKODE	Intega Løn
Comment	Comment	KOMMENTAR	Intega Løn

Course

The table Course holds information about courses. The table only contains data for customers with Intega HR. Where nothing else is mentioned the data comes from the Intega HR table Course.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
CourseRID	Unique key for use of OData	N/A	N/A
CustomerID	Organisation	OrganisationId	Intega HR
CourseId	Courseid	CourseId	Intega HR
CourseName	Name of course	CourseName	Intega HR
StartDate	Valid from	StartDate	Intega HR
EndDate	Valid to	EndDate	Intega HR
CourseTypeCode	Type of course	CourseTypeCode	Intega HR
Instructor	Instructor	Instructor	Intega HR
PhoneNumber	Phone number	TelephoneNumber	Intega HR
CoursePrice	Price	CoursePrice	Intega HR
Duration	Duration	Duration	Intega HR
DurationType	Hours or days	DurationType	Intega HR
Description	Description	Description	Intega HR
CourseSupplierID	Supplier number	SupplierNumber	Intega HR
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

CourseSupplier

CourseSupplier holds information about course suppliers. This table only contains data for customers with Intega HR. Where nothing else is mentioned the data comes from the Intega HR table CourseSupplier.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
CourseSupplierRID	Unique key for use of OData	N/A	N/A
CustomerID	Organisation	OrganisationId	Intega HR
CourseSupplierID	Supplier number	SupplierNumber	Intega HR
CourseSupplierName	Supplier name	SupplierName	Intega HR
Adress	Address	Adresse	Intega HR
Contact	Contact person	Contact	Intega HR
AddressWeb	Website address	AddressWeb	Intega HR
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

Customer

Customer holds information about CustomerID for Intega Løn/Intega HR-customer. Where nothing else is mentioned the data comes from the Intega Løn table SERVICEBUREAU.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
CustomerRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
ParentCustomerID	Parent customer ID	N/A	N/A
Name	Name of employer	NAVN	Intega Løn
AddressLine1	Address for employer	ADRESSE1	Intega Løn
AddressLine2	Supplementary address information	ADRESSE2	Intega Løn
PostalCodeDK	Postal code for employer	OMRAADE/OMRAADENR	Intega Løn
PostalDistrictDK	City name for employer	NAVN	Intega Løn
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSSTEMPEL	Intega Løn

Employee

Employee holds information about employees. Where nothing else is mentioned the data comes from the Intega Løn table MEDARBEJDER. The information is about persons and does not include information about possible employment. Employees are persons with a connection to an employer that pays out salary to the specific person.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
EmployeeRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
EmployerID	Employer Number	ARBEJDSGIVERNR	Intega Løn
EmployeeID	Employee number	MEDARBEJDERNR	Intega Løn
FirstName	First name of employee	FORNAVN	Intega Løn
LastName	Last name of employee	EFTERNAVN	Intega Løn
AddressLine1	Employee address	ADRESSE1	Intega Løn
AddressLine2	Supplementary address information for employee	ADRESSE2	Intega Løn
PostalCodeDK	Employee postal code	OMRAADENR	Intega Løn
PostalDistrictDK	Employee city name	NAVN	Intega Løn
PrivatePhoneNumber1	If the field 'Description' in setup for phone number in Intega Løn contains the text "Tlf"	TELEFON/TELEFONNR	Intega Løn
PrivatePhoneNumber2	If the field 'Description' in setup for phone number in Intega Løn contains the text "Alternativ"	TELEFON/TELEFONNR	Intega Løn
CompanyPhoneNumber1	If the field 'Description' in setup for phone number in Intega Løn contains the text "Direkte"	TELEFON/TELEFONNR	Intega Løn
CompanyPhoneNumber2	If the field 'Description' in setup for phone number in Intega Løn contains the text "Mobil"	TELEFON/TELEFONNR	Intega Løn
CompanyEmail	Employee work email address	Email	Intega Løn

PrivateEmail	Employee private email adresse	EMAIL2	Intega Løn
Initials	Initials	INITIALER	Intega Løn
SocialSecurityNumber	CPR-number	CPRNR	Intega Løn
PostalCodeInt	Employee foreign postal code	POSTNRUDLAND	Intega Løn
PostalDistrictInt	Employee foreign city name	BYUDLAND	Intega Løn
CountryCode	County code for tax registration	SKATTELANDEKODE	Intega Løn
Country	Country name	Country	Intega Løn
FirstHiredDate	Date of first employment	FOERSTANSAT	Intega Løn
Seniority	Number of Yeas, months and days employed Format YYMMDD	JUBILAEUM	Intega Løn
Eboks	Defines whether the employee receives the payslip in eBoks Note: Going forward there will be a new field for Mit.dk	EBOKS	Intega Løn
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
RegistrationNumber	Employee bank registration number	REGKONTONR/REGNR	Intega Løn
AccountNumber	Employee bank account number	REGKONTONR/KONTONR	Intega Løn
Email2	Email (Private)	EMAIL2	Intega Løn
BirthDate	Date of birth	FOEDELSDAG	Intega Løn
Gender	Gender	KOEN	Intega Løn
StateCountryCode	Citizenship	STATSLANDEKODE	Intega Løn
BirthCountryCode	Country of birth	FOEDELANDEKODE	Intega Løn
DefaultCalendarCode	Default Calendar code	DEFAULTKALENDERKODE	Intega Løn
Comment	Comment	KOMMENTAR	Intega Løn
CallingName	Nickname	KALDENAVN	Intega Løn
SocialSecurityNumberAbroad	Foreign CPR-Number	CPRNRUDLAND	Intega Løn
VerificationDate	Date for validation of Registration- /accountnumber	REGKONTONR/VERIFICERE TDATO	Intega Løn

NemAccount	Code for NemKonto	NEMKONTO	Intega Løn
SalarySeniorityFrom	Salary seniority date	LOEN_ANCIENNITET	Intega Løn
SalaryComputed	Part of payroll	LOENBEHANDLES	Intega Løn
SocialSecurityNumberValidated	CPR number validation	VALCPR	
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

EmployeeQualification

EmployeeQualification holds information about the courses and education for the specific employee as well as the codes relevant for description of the education. The table only contains data for Intega HR customers. Where nothing else is mentioned the data comes from the Intega HR table EmployeeQualification.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
EmployeeQualificationRID	Unique key for use of OData	N/A	N/A
CustomerID	Organisation	OrganisationId	Intega HR
EmployerID	Employer Number	EmployerID	Intega HR
EmployeeID	Employee number	EmployeeID	Intega HR
CourseID	Course ID	CourseId	Intega HR
CourseCalendarID	Calendar for course	CourseCalendarId	Intega HR
CourseStateCode	Status	CourseStateCode	Intega HR
Text	Name of course	Text	Intega HR
CourseStartDate	Course Start date	Date	Intega HR
CoursePrice	Price	CoursePrice	Intega HR
Duration	Duration	Duration	Intega HR
DurationIsDefaultValue	Absence text	DurationIsDefaultValue	Intega HR
DurationTypeCode	Units for duration	DurationTypeCode	Intega HR
Grade	Grade/Level	Grade	Intega HR
DeadlineDate	obsolescence/ expiration date	DeadlineDate	Intega HR
Description	Remark	Description	Intega HR
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

Employer

Employer holds information about the employer or employers registered under the CustomerID. Where nothing else is mentioned the data comes from the Intega Løn table ARBEJDSGIVER

Field name in Intega Datahub	Description	Fieldname source system	Datasource
EmployerRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
EmployerID	Employer Number	ARBEJDSGIVERNR	Intega Løn
StartDate	Employer start date	Start date	Intega Løn
EndDate	End date for closing down the employer	END DATE	Intega Løn
FromDate	Active start date	FRADATO	Intega Løn
ToDate	Active end date	TILDATO	Intega Løn
CVRNumber	CVR number	SENR	Intega Løn
Name	Name of employer	NAVN	Intega Løn
AddressLine1	Employer address	ADRESSE1	Intega Løn
AddressLine2	Supplementary address information	ADRESSE2	Intega Løn
PostalCodeDK	Employer postal code	OMRAADENR	Intega Løn
PostalDistrictDK	Employer city name	OMRAADE/NAVN	Intega Løn
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

Employment

Employment holds information about the personal Employments. Where nothing else is mentioned the data comes from the Intega Løn table ANSFORHOLD.

Fields marked with '*' comes from the organisation in Intega HR. If information from the organisation in Intega Løn (Afdeling) is wanted organisation can be found in the field VismaLoenDepartment

Field name in Intega Datahub	Description	Fieldname source system	Datasource
EmploymentRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CustomerID	CustomerID	Servicebureaunr	Intega Løn
EmployerID	Employer Number	ARBEJDSDGIVERNR	Intega Løn
EmployeeID	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment	ANSFORHNR	Intega Løn
StartDate	Startdate in Intega Løn	Start date	Intega Løn
EndDate	Change or termination of Employment	END DATE	Intega Løn
FromDate	From date	FRADATO	Intega Løn
ToDate	To date	TILDATO	Intega Løn
OrganizationalUnitID*	Department ID	AFDELINGSNR/DepartmentId	Intega Løn / Intega HR
OrganizationalUnitName*	Department name	TEKST/DepartmentName	Intega Løn / Intega HR
PlaceOfWorkNumber	P-number if it deviates from the p-number registered on the employer	Pnr	Intega Løn
EmploymentDesignation	Title	ANSBETEGNELSE	Intega Løn

PaymentConditionCode	Position category	STILKATNR	Intega Løn
WageConditionNumber	Prepaid, paid in arrears, hourly- or fortnightly paid	AFLOENNINGSGRUPPE	Intega Løn
WorkingHourNumerator	Number of employee working hours per month	ARBNAEVNER	Intega Løn
WorkingHourDenominator	Number of full time working hours per month or per fortnightly period	ARBTAELLER	Intega Løn
VacationWeek			
SalaryScale	Pay scale	LOENRAMME	Intega Løn
SalaryStep	Salary step	LOENTRIN	Intega Løn
UdbetalingsStedNR	Subsection	UDBETALINGSSTEDNR	Intega Løn
WageGroupNumber	Pay group	LOENGRUPPENR	Intega Løn
DateOfEmployment	Hiredate For Intega HR = FOERSTANSAT	ANSFORHOLD/ FOERSTANSAT	Intega HR
TerminationDate	Termination date For Intega HR = MAX(END DATE)	ANSFORHOLD/END DATE	Intega HR
CustomizedInformation1	Optional1	VALGFRI1	Intega Løn
CustomizedInformation2	Optional2	VALGFRI2	Intega Løn
CustomizedInformation3	Optional3	VALGFRI3	Intega Løn
CustomizedInformation4	Optional4	VALGFRI4	Intega Løn
CustomizedInformation5	Optional5	VALGFRI5	Intega Løn
CustomizedInformation6	Optional6	VALGFRI6	Intega Løn
AutoMovement	Auto movement	AUTOOPRYK	Intega Løn
MovementCode1	Name of table for movement in relation to use of Pay scale/salary step	RYKKODE1	Intega Løn
MovementCode2	Name of table for movement in relation to use of Pay scale/salary step	RYKKODE2	Intega Løn

MovementCode3	Name of table for movement in relation to use of Pay scale/salary step	RYKKODE3	Intega Løn
LastMovementDate1	Date of last movement in relation to use of Pay scale / salary step	SIDSTERYKDATO1	Intega Løn
LastMovementDate2	Date of last movement in relation to use of Pay scale / salary step	SIDSTERYKDATO2	Intega Løn
LastMovementDate3	Date of last movement in relation to use of Pay scale / salary step	SIDSTERYKDATO3	Intega Løn
NextMovementDate1	Date of next movement in relation to use of Pay scale / salary step	NAESTERYKDATO1	Intega Løn
NextMovementDate2	Date of next movement in relation to use of Pay scale / salary step	NAESTERYKDATO2	Intega Løn
NextMovementDate3	Date of next movement in relation to use of Pay scale / salary step	NAESTERYKDATO3	Intega Løn
AutoMovementCode1	Must the movement in relation to use of Pay scale / salary step be automatic? Ja (yes) or Nej (no)	AUTORYK1	Intega Løn
AutoMovementCode2	Must the movement in relation to use of Pay scale / salary step be automatic? Ja (yes) or Nej (no)	AUTORYK2	Intega Løn
AutoMovementCode3	Must the movement in relation to use of Pay scale / salary step be automatic? Ja (yes) or Nej (no)	AUTORYK3	Intega Løn
JobFunctionNumber	Job function number	ARBEJDSFUNKNR	Intega Løn
JobFunctionName	Name of job function number	ARBEJDSFUNKTION /NAVN	Intega Løn
Occupation	Position	STILLING	Intega Løn
InternalOccupationCode	Internal position code	INTERNSTILLINGSKODE	Intega Løn
OccupationTypeCode	Position type code	STILLINGSTYPEKODE	Intega Løn

ChangeReasonCode	Code for change reason	AENDRINGSAAARSAGSKODE	Intega Løn
InternalTitleCode	Internal title code	INTERNTITELKODE	Intega Løn
WorkPlanCode	Work plan code	ARBEJDSORDNINGKODE	Intega Løn
SkillRequirementCode	Education requirement code	UDDANNELSESKRAVKODE	Intega Løn
ExtraNoticePersonMonth	Extra termination notice employee	EKSTRAOPSIGPERSONMAANED	Intega Løn
ExtraNoticeCompanyMonth	Extra termination notice company	EKSTRAOPSIGFIRMAMAANED	Intega Løn
Comment	Comment	KOMMENTAR	Intega Løn
PayrollRunNumber	Payroll run number	KOERSELSNR	Intega Løn
Seniority2	Seniority date 2	ANCIENNITET2	Intega Løn
Anniversary2	Anniversary date 2	JUBILAEUM2	Intega Løn
ResignationCode	Termination reason code	FRATRAEDAARSAGSKODE	Intega Løn
EmploymentTypeCode	Employment type code	ANSATTYPEKODE	Intega Løn
VismaLoenDepartment	Cost center	AFDELINGSNR	Intega Løn
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

Organization

Organization holds information about the top level in the organisations described in the data model. Where nothing else is mentioned the data comes from the Intega Løn table ARBEJDSGIVER.

For Intega HR customers the information comes from the Intega HR table Company.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
OrganizationRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega HR
OrganizationID	Organisation	ARBEJDSGIVERNR /OrganizationalID	Intega Løn / Intega HR
StartDate	Start date	START DATE/StartDate	Intega Løn / Intega HR
EndDate	End date	END DATE/EndDate	Intega Løn / Intega HR
FromDate	From date	FRADATO/ StartDate	Intega Løn / Intega HR
ToDate	To date	TILDATO/ EndDate	Intega Løn / Intega HR
Name	Name	NAVN/ CompanyName	Intega Løn / Intega HR
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
ParentOrganizationId	Parent Company	ParentCompanyId	Intega HR
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSSTEMPEL	Intega Løn

OrganizationalUnit

OrganizationalUnit holds information about the units in the organisation.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
OrganizationalUnitRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
EmployerID	Employer Number	ARBEJDSGIVERNR	Intega Løn
OrganizationID	Organisational ID	ARBEJDSGIVERNR/ CompanyID	Intega Løn / Intega HR
StartDate	Start date	Startdate	Intega HR
Enddate	End date	EndDate	Intega HR
Name	Name of organisational unit	TEKST/ DepartmentName	Intega Løn / Intega HR
AddressLine1	Address line 1	Address1	Intega HR
AddressLine2	Address line 2	AddressLine2	Intega HR
PostalCode	Postal code	ZipCode	Intega HR
PostalDistrict	City name	City	Intega HR
CountryCode	Country code for tax registration	CountryCode	Intega HR
Country	Country name	Country	Intega HR
ResponsibleEmployeeId	Department manager	ResponsibleEmployeeId	Intega HR
OrganizationalUnitID	Department ID	AFDELINGSNR/ DepartmentId	Intega Løn / Intega HR
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
ParentOrganizationalUnitID	Identification of parent organisational unit (if any)	ParentDepartmentId	Intega HR
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

Payroll

Payroll holds information about payrolls. Payroll works also as a time dimension for output from the payroll. Where nothing else is mentioned the data comes from the Intega Løn table KOERSELSSELEKTION.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
PayrollRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
PayrollRunNumber	Payroll run number	KOERSELSNR	Intega Løn
SelectionNumber	Selection number	SELEKTIONSNR	Intega Løn
PayPeriodStart	Payroll period start	LOENPERIODESTART	Intega Løn
PayPeriodEnd	Payroll period end	LOENPERIODESLUT	Intega Løn
Name	Payroll name	NAVN	Intega Løn
AccountingDate	Accounting date	POSTERINGSDATO	Intega Løn
AvailabilityDate	Availability date	DISPDATO	Intega Løn
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
PayrollUsedDate	Payroll used date	Anvendtdato	Intega Løn
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

PayType

PayType holds information about wage types. This table contains register data. Where nothing else is mentioned the data comes from the Intega Løn table LOENART

Field name in Intega Datahub	Description	Fieldname source system	Datasource
PayTypeID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
StartDate	Start date	START DATE	Intega Løn
EndDate	End date	END DATE	Intega Løn
Name	Name of Wage type	NAVN	Intega Løn
BenefitDeduction	Benefit deduction	LOENTRAEK	Intega Løn
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
PayTypeCode	Number of Wage type	LOENARTNR	Intega Løn
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

CourseCalendar

CourseAbsenceType holds information about the course calendar. The table contains data relating to the specific courses. The table only contains data for Intega HR customers.

Where nothing else is mentioned the data comes from the Intega HR table CourseCalendar

Field name in Intega Datahub	Description	Fieldname source system	Datasource
CourseCalendarRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CustomerID	Organisation	OrganisationId	Intega HR
CourseID	Key to the specific course	CourseID	Intega HR
StartDate	Start date	END DATE	Intega HR
CourseCalendarID	Course calendar	CourseCalendarID	Intega HR
EndDate	End date	END DATE	Intega HR
MaxParticipants	Max number of participants	MaxParticipants	Intega HR
Note			
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

EmploymentClassification

EmploymentClassification holds information about the relation between the specific employment of the employee and the relevant codes that describe the employment. Where nothing else is mentioned the data comes from the Intega Løn tabellen ANSOPLYSNING.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
EmploymentClassificationRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
EmployerID	Employer Number	ARBEJDSGIVERNR	Intega Løn
EmployeeID	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment	ANSFORHNR	Intega Løn
StartDate	Start date	Start date	Intega Løn
EndDate	End date	END DATE	Intega Løn
ContentTypeCode	Ex. 100, 200, 350, 400, 600, 610, 620, 700, 800 etc.	INDHOLDSNR	Intega Løn
ClassificationCode	Ex. 6 digit Disco-08 code for IP_type = 350	IPKODE	Intega Løn
Value	For IP_Type 600, 610, or 620 the normtime, holidays or holiday supplement is shown	IP_VAERDI	Intega Løn
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

PaymentConditionClassification

PaymentConditionClassification holds information about the relation between the PaymentCondition of the employee and the relevant codes that describe the PaymentCondition. This means that the employment of an employee can be described in both EmploymentClassification and in PaymentCondition. The classifications described in EmploymentClassification will overrule PaymentCondition. Where nothing else is mentioned the data comes from the Intega Løn table STILKATOPLYSNING.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
PaymentConditionClassificationRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
PaymentConditionCode	Position category	STILKATNR	Intega Løn
ContentTypeCode	Ex. 100, 200, 350, 400, 600, 610, 620, 700, 800 etc.	INDHOLDSNR	Intega Løn
ClassificationCode	Ex. 6 digit Disco-08 kode for IP_type = 350	IPKODE	Intega Løn
StartDate	Start date	Start date	Intega Løn
EndDate	End date	END DATE	Intega Løn
Value	For IP_Type 600, 610, or 620 the normtime, holidays or holiday supplement is shown	IP_VAERDI	Intega Løn
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

Contenttype

ContentType holds information about the kind of report to 'Danmarks Statistik' or 'Finanssektorens Arbejdsgiverforening' (Personoplysninger (IP)). Where nothing else is mentioned the data comes from the Intega Løn table INDHOLDSTYPE.

For information about the type and building reference is made to the statistical guides for the respective organisations. An example of such a guide can be found at this link:

https://www.fanet.dk/system/files/publication_files/statistikvejledning_2015_ver_10_0.pdf

Field name in Intega Datahub	Description	Fieldname source system	Datasource
ContentTypeRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
ContentTypeCode	Ex. 100, 200, 350, 400, 600, 610, 620, 700, 800 etc.	INDHOLDSNR	Intega Løn
StartDate	Start date	START DATE	Intega Løn
EndDate	End date	END DATE	Intega Løn
FromDate	Period From date	FRADATO	Intega Løn
ToDate	Period To date	TILDATO	Intega Løn
ContentTypeName	Description of personal information	NAVN	Intega Løn
Reciever	Receiver of statistics ex. DA, DS, FA	MODTAGER	Intega Løn
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

Classification

Classification holds information about classification in relation to ContentType. Where nothing else is mentioned the data comes from the Intega Løn tabellen IP_KODE.

Most interesting must be the codes for ContentType 350 that are identical to the codes described in DISCO-08. For information about the type and building reference is made to the statistical guides for the respective organisations.

An example of such a guide can be found at this link:

https://www.fanet.dk/system/files/publication_files/statistikvejledning_2015_ver_10_0.pdf

Field name in Intega Datahub	Description	Fieldname source system	Datasource
ClassificationRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
ContentTypeCode	Ex. 350	INDHOLDSNR	Intega Løn
ClassificationCode	Ex. 6 digit Disco-08 code	IPKODE	Intega Løn
StartDate	Start date	START DATE	Intega Løn
EndDate	End date	END DATE	Intega Løn
ClassificationName	Name of IP-code	IPNAVN	Intega Løn
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

TaxCard

TaxCard holds information about the tax information for the employee. This is as a rule information collected from SKAT. Where nothing else is mentioned the data comes from the Intega Løn table SKATTEKORT.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
TaxCardRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
EmployerID	Employer Number	ARBEJDSGIVERNR	Intega Løn
EmployeeID	Employee number	MEDARBEJDERNR	Intega Løn
TaxCardType	Type of tax card ex. hovedkort (main) or bikort (secondary)	SKATTEKORTTYPE	Intega Løn
StartDate	Valid from	START DATE	Intega Løn
EndDate	Valid to	END DATE	Intega Løn
TaxFreeAmount	Tax free amount	FRIKORT	Intega Løn
IncomeTaxRate	Tax rate	TRAEKPCT	Intega Løn
DeductionPrDay	Daily deduction	FRADRAGDAG	Intega Løn
DeductionPrWeek	Weekly deduction	FRADRAGUGE	Intega Løn
DeductionPr14Day	Bi weekly deduction	FRADRAG14	Intega Løn
DeductionPrMonth	Monthly deduction	FRADRAGMD	Intega Løn
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
AdditionalIncomeTaxRate	Extra additional tax rate	EKSTRATRAEK	Intega Løn
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

ProcessedAbsence

ProcessedAbsence holds information about payroll processed absence. Where nothing else is mentioned the data comes from the Intega Løn table FRAVAERSPOSTERING.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
ProcessedAbsenceRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
EmployerId	Employer Number	ARBEJDSGIVERNR	Intega Løn
EmployeeId	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment	ANSFORHNR	Intega Løn
StartDate	Start date	START DATE	Intega Løn
EndDate	End date	END DATE	Intega Løn
AbsenceCode	Absence code	FRAVAERSKODE	Intega Løn
ProcessedAbsenceName	Name of absence	NAVN	Intega Løn
Rate	Rate that the absence is paid out by	SATS	Intega Løn
Duration	Length of absence period either in days or hours depending on the type of absence	VARIGHED	Intega Løn
DurationType	Hours or days	KATTILLFRAVKODE/ENHED	Intega Løn
UsedDate	Date of payroll processed	ANVENDT	Intega Løn
ProjectID	Project Number	ProjectNumber	Intega HR
UsedPayrollNumber	Payroll number	ANVENDTKOERSELSNR	Intega Løn
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
GroupID	ID that refers to a possible registration in the table ProcessedAbsence	GRUPPEID	

StartTime	Start time for the absence	STARTTID	Intega Løn / Intega HR
EndTime	End time for the absence	SLUTTID	Intega Løn / Intega HR
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

ProcessedAbsenceGroup

ProcessedAbsence holds information about payroll processed absence. Where nothing else is mentioned the data comes from the Intega Løn table FRAVAERSPOSTERING.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
ProcessedAbsenceGroupRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)		
CustomerID	CustomerIF	SERVICEBUREAUNR	Intega Løn
EmployerID	Employer Number	ARBEJDSGIVERNR	Intega Løn
EmployeeID	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment	ANSFORHNR	Intega Løn
GroupID	ID that refers to a possible registration in the table ProcessedAbsence	GRUPPEID	Intega Løn
StartDate	Start date	START DATE	Intega Løn
EndDate	End date	END DATE	Intega Løn
Comment	Comment	KOMMENTAR	Intega Løn
ProjectID	ProjectID	PROJEKTID	Intega Løn
CalendarCode	Calendar code	KALENDERKODE	Intega Løn
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

PostedAccounting

PostedAccountingSorting holds information about the bookkeeping transactions. Where nothing else is mentioned the data comes from the Intega Løn table KOERSELSSELEKTION.

*) Data is only transferred if AccountingSerialNumber1 is > 0, as transactions with AccountingSerialNumber1 have no impact on bookkeeping and can give duplicates that will spoil the meaning of the deltamechanism.

) Fields marked with '' comes from the organisation in Intega HR.

Fields marked with '*' comes from the organisation in Intega HR. If information from the organisation in Intega Løn (Afdeling) is wanted the organisation from Intega Løn can be found in the field VismaLoenDepartment.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
PostedAccountingRID	Unique key for use of OData	N/A	N/A
CustomerID	CustomerID	SERVICEBUREAUNR	Intega Løn
EmployerID	Employer Number	ARBEJDSGIVERNR	Intega Løn
EmployeeID	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment	ANSFORHNR	Intega Løn
AccountingSerialNumber1*	Accounting serial number	BOGFOER_LBNR	Intega Løn
AccountingSerialNumber2	Secondary accounting number	KTOPL_LOEBENR	Intega Løn
BreakdownNumber	Break down number	FORDELINGSNR	Intega Løn
CalculatedSalaryNumber	Calculated salary number	LOENTRANSNR	Intega Løn
PayPeriodStart	Start date of the payroll period	LOENPERIODESTART	Intega Løn
PayPeriodEnd	End date of the payroll period	LOENPERIODESLUT	Intega Løn
PayrollRunNumber	Payroll run number	KOERSELSNR	Intega Løn
AccountNumber	Account number for bookkeeping	KTOPL_KONTONR	Intega Løn

AccountName	Account name for bookkeeping	KONTONAVN	Intega Løn
Amount	Amount	RESULTAT	Intega Løn
Rate	Rate for payout	Sats	Intega Løn
DebitCreditCode	D=Debet/K=Credit	DEBKRE	Intega Løn
OrganizationalUnitID**	Organisation ID	AFDELINGSNR/Departmen tId	Intega Løn / Intega HR
UdbetalingsStedNr	Subsection number	UDBETALINGSSTEDNR	Intega Løn
PaymentConditionCode	Position category	STILKATNR	Intega Løn
WageGroupNumber	Pay group	LOENGRUPPENR	Intega Løn
SalaryScale	Pay scale	LOENRAMME	Intega Løn
SalaryStep	Salary step	LOENTRIN	Intega Løn
CustomizedInformation1	Optional1	KTOPL_VALGFRI1	Intega Løn
CustomizedInformation2	Optional2	KTOPL_VALGFRI2	Intega Løn
CustomizedInformation3	Optional3	KTOPL_VALGFRI3	Intega Løn
CustomizedInformation 4	Optional4	KTOPL_VALGFRI4	Intega Løn
CustomizedInformation5	Optional5	KTOPL_VALGFRI5	Intega Løn
CustomizedInformation 6	Optional6	KTOPL_VALGFRI6	Intega Løn
VersionNumber	Used to control the update of data (internal Datahubfield)	N/A	N/A
PayTypeCode	Wage type number	LOENARTNR	Intega Løn
WageConditionNumber	Paid in arrear, paid in advance, hourly- or fortnightly paid	AFLOENNINGSGRUPPE	Intega Løn
Value	Value	VAERDI	Intega Løn
CreatedByPayroll	Created by payroll	DANNETAFLØEN	Intega Løn
COA_OrganizationalUnit ID	Department or input constant from account plan	KTOPL_AFDELINGSNR	Intega Løn
COA_UDBETALINGSSTE DNR	Subsection if Finans is marked with a 'udbetalingskode' 2 = MKTO and 3 = TREG	KTOPL_UDBETSTEDNR	Intega Løn

COA_InputCode	Inputvalue if this is chosen to be shown in the account plan	KTOPL_INDASTKODE	Intega Løn
COA_EmployeeID	Employee number if this is chosen to be shown in the account plan	KTOPL_MEDARBNR	Intega Løn
ChartOfAccounts	Account plan number / name (SD)	KONTERKODE	Intega Løn
SalaryDistributed	If values are distributed between ex. department / pct. The code will be 1, 2, 3 1 = original value 2 and 3 is the distribution after the rule / % set up on the specific employee in the menu "fordeling af lønudgifter"	LOENFORDELT	Intega Løn
SettlementMethod	Only deduction wage types with reg/bank account number can have the code BC. The code must be set in 'Fast lønoplysning' on the wage type for use in the bookkeeping	AFRMETODE	Intega Løn
UseCode	How the wage type must be shown in connection to output. The individual items will always be shown in the report "bogføring med spec"	ANVENDKODE	Intega Løn
PrintedOnPayslip	Wage type show on the payslip	UDSKRPAALOENSPEC	Intega Løn
PensionYearMark	Value = 1 moves the settlement from current year to first bank day in the new year in relation to year-end. This is only applicable for pre paid salary and settlement	PENSION_AAR_MRK	Intega Løn

	through accounting central (financial customers)		
SelectedDate	Accounting date	BILAGSDATO	Intega Løn
VismaLoenDepartment	Department	AFDELINGSNR	intega Løn

PhoneNumber

PhoneNumber holds information about phone numbers.

Where nothing else is mentioned data comes from the Intega Løn table TELEFON.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
PhoneNumberRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)		
CustomerID	Customer ID	SERVICEBUREAUNR	Intega Løn
EmployerId	Employer Number	ARBEJD SGIVERNR	Intega Løn
EmployeeId	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment	ANSFORHNR	Intega Løn
PhoneNumber1	Phone number	TELEFONNR	
ExtentionNumber	Extension number	LOKALNR	
Comment	Text	TEKST	
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

SalaryComment

SalaryComment holds information about comments for Employment.

Where nothing else is mentioned the data comes from the IntegaLØN table ANSLOENKOMMENTAR

Field name in Intega Datahub	Description	Fieldname source system	Datasource
SalaryCommentRID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)		
CustomerID	Customer ID	SERVICEBUREAUNR	Intega Løn
EmployerId	Employer Number	ARBEJD SGIVERNR	Intega Løn
EmployeeId	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment	ANSFORHNR	Intega Løn
CommentDate	Date of comment	KOMMENTAR DATO	Intega Løn
Comment	Comment	KOMMENTAR	Intega Løn
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn

VismaLoenWorkCalendar

VismaLoenWorkCalendar holds information about work calendars.

Where nothing else is mentioned data comes from the Intega Løn table ARBEJDSTIDSKALENDER.

Field name in Intega Datahub	Description	Fieldname source system	Datasource
VismaLoenWorkCalendar RID	Unique key for use of OData	N/A	N/A
VersionNumber	Used to control the update of data (internal Datahubfield)		
CustomerID	Customer ID	SERVICEBUREAUNR	Intega Løn
EmployerId	Employer Number	ARBEJDSGIVERNR	Intega Løn
EmployeeId	Employee number	MEDARBEJDERNR	Intega Løn
EmploymentID	Employment	ANSFORHNR	Intega Løn
StartDate	Start date	START DATE	Intega Løn
EndDate	End date	END DATE	Intega Løn
ICAL	Calendar in the format ICAL	ICAL	
WorkingHoursType	Working hour type	ARBEJDSTIDSTYPE	
IgnoreHolidays	Ignore holidays	IGNORERHELLIGDAGE	
IncludeSaturdays	Include Saturdays	INKLUDERLOERDAGE	
IncludeSundays	Include Sundays	INKLUDERSOENDAGE	
CreateTime	Timestamp for creating the registration	HISTORIK	Intega Løn
UpdateTime	Timestamp for latest update of the registration	TIDSSTEMPEL	Intega Løn